

**FORM -IV**

(see rule 13)

**ANNUAL REPORT**

To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)

SL. NO.	Particulars		
1.	Particulars of the Occupier (occupier or : operator of facility)		
	(i) Name of the authorized person		Dr. Subrat kumar Mohapatra, Superintendent
	(ii) Name of HCF or CBMWTF	:	Sani Clean PVT LTD
	(iii) Address for Correspondence	:	At:-CHC Nimapara, Puri-752106
	(iv) Address of Facility		At:-CHC Nimapara
	(v) Tel. No, Fax.No	:	9439994000
	(vi) E-mail ID	:	ahnimapara1@gmail.com
	(vii) URL of Website		Chcnimapara.in
	(viii) GPS coordinates of HCF or CBMWTF		
	(ix) Ownership of HCF or CBMWTF	:	(State Government)
	(x) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.:20651/IND-IV-BW-511 (Valid up to 31.03.2026)

**FORM -IV**  
**(see rule 13)**  
**ANNUAL REPORT**

	(xi) Status of Consents under Water Act and Air Act		Applied on Dt.30/07/2025 Vide Receipt No.312232432
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. Of Beds:-40
	(ii) Non-bedded hospital (Clinic or Blood bank or Clinical Laboratory or Research institute or Veterinary Hospital or any other)	:	
	(iii) license number and its date of expiry	:	
3.	Details of CBMWTF		
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF :		
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	1430 Kgs 202 Yellow category:gms Red Category:987 kgs 225 gms White : 43 Kgs 264gms Blue Category : 1100 kgs 532gms General solid waste : 200000 Kgs

FORM -IV  
(see rule 13)  
ANNUAL REPORT

5. Details of the storage, treatment, transportation, processing and Disposal facility				
(i) Details of the on-site storage facility			Size : 4FX8F	
			Capacity: 50 KGS	
			Provision of on-site storage : (cold storage or any other provision ) Normal storage Room not easy to access Public and Animals	
(ii) Disposal facilities	Type of treatment equipment	No of units	Capacity Kg/Day	Quantity treated or Disposed in kg per annum
	Incinerators			
	Plasma Pyrolysis			
	Autoclave			
	Microwave			
	Hydroclave			
	Shredder			
	Needle tip cutter pr Destroyer Sharps	10	150GM	43 Kgs 264gms
	Encapsulation or			
	Concrete pit			
	Deep burial pits:			
	Chemical disinfection			
	Any other treatment equipment:		8 KG	295 KG
(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.)			2084 KGS; 757 Gms


**FORM -IV**  
**(see rule 13)**  
**ANNUAL REPORT**

(iv) No of vehicles used for collection and transportation of bio medical waste	:	Weekly 3 days	
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Quality generated		Where disposed
	Incineration Ash		
	ETP Sludge		
(vi) Name of the Common Bio-: Medical Waste Treatment Facility Operator through which wastes are disposed of -Not available			
(vii) List of member HCF not handed over bio-medical waste.-0			
6. Do you have bio-medical waste management committee? IF yes, attach minutes of the meetings held during the reporting period-Yes,			
7. Details training conducted on BMW (i) Number of trainings conducted on BMW Management.-5			
(ii) number of personnel trained		50	
(iii) Number of personnel trained at the time of induction		50	
(iv) number of personnel not undergone any training so far		NIL	
(vi) Whether standard manual for training is available?		AVAILABLE	
(vii) any other information			

8	Details of the accident occurred during the year	No
	(i) Number of Accidents occurred	No
	(ii) Number of the persons affected	No
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details.	No
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Not Available
	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment Methods in place. How many times you have not met the standards in a Year?	Yes
11	Is the disinfection method or sterilization meeting the log 4 Standards? How many times you have not met the standards in a year?	No
12	Any other relevant information	: (Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from  
01.01.2025 to 31.12.2025

Place: Nimapara CHC  
Date-09.01.2026

Name and Signature of the Head of the Institution  
  
**Superintendent**  
 Nimapara C.H.C.  
 Dist.-Puri