

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier ( occupier or :operator of facility)		
	(i) Name of the authorised person		MEDICAL OFFICER IN CHARGE CHC NIMAPARA
	(ii) Name of HCF or CBMWTF	:	MAA KANAKA DURGA ENT. OUT SORCEING AGENCY/SANI CLEAN PVT.LTD
	(iii) Address for Correspondence	:	CHC NIMAPARA, PURI
	(iv) Address of Facility		CHC NIMAPARA, PURI
	(v)Tel. No, Fax. No	:	9439994000
	(vi) E-mail ID	:	ahnimapara1@gm ail.com
	(vii) URL of Website		Chcnimapara.in
	(viii) GPS coordinates of HCF or CBMWTF		
	(ix) Ownership of HCF or CBMWTF	:	(State Government)

Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	AUTHORISATION NO: 470/IND-IV-BW-511 (Valid up to 31.03.2024) Applied for Renewal
(xi). Status of Consents under Water Act and Air Act	:	Applied on Dt- 21/05/2024 Vide Receipt No- 312232432
2. Type of Health Care Facility	:	CHC
(i) Bedded Hospital	:	40
(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
(iii) License number and its date of expiry	:	13818/IND-IV-BW-511 DATED:- 23.12.19 AND VALID UPTO 31.03.2024
3. Details of CBMWTF	:	
(i) Number healthcare facilities covered by CBMWTF	:	1
(ii) No of beds covered by CBMWTF	:	40
(iii) Installed treatment and disposal capacity of CBMWTF:	:	_____ Kg per day
(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day

Quantity of waste generated or disposed in kg per

annum (on monthly average basis)

Yellow Category: 1024.0 kg.

Red Category : 1747.2 kg.

White: 42.06 kg

Blue Category : 2083.2 kg

General Solid waste: 4.5 Q.

5 Details of the Storage, treatment, transportation, processing and Disposal Facility

(i) Details of the on-site storage

Size : 4Ft X 8Ft

facility

100 kg.

Capacity :

Provision of on-site storage :

(any other provision)- Normal  
Storage Room not easy to access  
Public and Animals

disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
	Incinerators			
	Plasma Pyrolysis			
	Autoclaves	1		
	Microwave			
	Hydroclave			
	Shredder	1		
	Needle tip cutter or Destroyer Sharps	6		
	encapsulation or concrete pit		-	
	concrete pit	2		
	Deep burial pits:	2		

	Chemical disinfection:	1	-	
	Any other treatment equipment:			
(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)		
		38330.8Kg.		
(iv) No of vehicles used for collection and transportation of biomedical waste	:	01		
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<b>Quantity generated</b>		<b>Where disposed</b>
		Incineration Ash		
		ETP Sludge		

VI. Name of the Common Bio- : **DIHH Puri**  
 Medical Waste Treatment Facility  
 Operator through which wastes are disposed of- Not Available

(vi) List of member HCF not handed over bio-medical waste.- 0

6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period-

Yes,

7 Details trainings conducted on BMW

(i) Number of trainings conducted on BMW Management.- 4

(ii) number of personnel trained		57 Nos.
(iii) number of personnel trained at the time of induction		57 Nos.
(iv) number of personnel not undergone any training so far		0
(v) whether standard manual for		YES

...raining is available?

	(vi) any other information)		
8	Details of the accident occurred during the year	0	
	(i) Number of Accidents occurred	0	
	(ii) Number of the persons affected	0	
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Yes	
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment Methods in place. How many times you have not met the standards in a Year?	Yes	
11	Is the disinfection method or sterilization meeting the log 4 Standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from Jan-2023 To Dec-2023 the Bio medical waste management 2016 has been implemented strictly adhered, no deviation is done at CHC Nimapara.

Name and Signature of the Head of the Institution  
**Superintendent**  
**Nimapara C.H.C.**  
**Dist.-Puri**

29/06/24

Date:25/06/2024

Place: Nimapara CHC

